

CHECK LIST OF THE OLD WORLD EPIPASCHIINAE AND  
THE RELATED NEW WORLD GENERA *MACALLA* AND  
*EPIPASCHIA* (PYRALIDAE)

M. ALMA SOLIS

Systematic Entomology Laboratory, PSI, USDA  
% National Museum of Natural History, NHB 168, Washington, D.C. 20560.

**ABSTRACT.** Two hundred seventy-three Old World species and 14 New World species belonging to *Macalla* Walker and *Epipaschia* Clemens are included. Information about the taxonomic status of *Macalla*, *Locastra*, *Stericta*, and *Coenodomus* is provided. Twenty-one new synonyms and eighteen new combinations are proposed.

**Additional key words:** *Pococera* complex, *Locastra*, *Stericta*, *Coenodomus*, *Lista*.

The Epipaschiinae are a large subfamily of over 700 species worldwide. Within the subfamily a monophyletic group of New World genera and species, the *Pococera* complex (Solis 1989) can be recognized. A check list of the *Pococera* complex will be published in the future in the context of a systematic revision and phylogenetic analysis (Solis in press). The remaining taxa are listed herein, including all Old World epipaschiines and New World *Macalla* Walker and *Epipaschia* Clemens. *Macalla* and *Epipaschia* are included because morphological studies (Howard & Solis 1989, Solis 1989) show them to be more closely related to Old World genera than to the New World *Pococera* complex. Some species previously placed in *Macalla* in the Old World are not related to New World *Macalla*. In the present check list these are placed in *Salma* Walker, the next available name (Shaffer et al. in press). Anyone using this list also should refer to the *Checklist of the Lepidoptera of Australia* (Shaffer et al. in press) for further new combinations and synonymies in reference to the Australian fauna. Nevertheless, this list will provide a foundation for anyone wishing to conduct taxonomic work on the Epipaschiinae since the monophyly of the genera is still in question, and the placement of some genera within the Epipaschiinae requires verification.

Some species in the Western Hemisphere were incorrectly associated with *Locastra* Walker and *Stericta* Lederer. The Western Hemisphere species placed in them belong to genera in the *Pococera* complex. Dissection of the types of *L. crassipennis* Walker (synonym of *L. mai-manalis* Walker) and *S. divitalis* (Guenée), the type species of *Locastra* and *Stericta* reveals these genera to be restricted to the Old World.

*Coenodomus* Walsingham, an Old World genus, is attributed to the North American fauna (Hodges et al. 1983). Two genera, *Dyaria* Neumoegen and *Alippa* Aurivillius, are junior synonyms of *Coenodomus*. In 1893 Neumoegen described *Dyaria* in the Lymantriidae and named

it after his "faithful co-labourer and friend Mr. H. G. Dyar" based on a male specimen supposedly caught in Bangor, Maine. In 1900 Dyar referred *Dyaria* to the Epipaschiinae and synonymized with it *Alippa* Aurivillius, a genus placed previously in the Limacodidae. He stated: "Its occurrence in North America needs verification, in spite of the positive statement published." I have not seen any other specimens in any museum of this genus with collection data referring to the Western Hemisphere. Walsingham described this genus based on material he received from India reared from *Eugenia jambolana* Lamarck (Myrtaceae). *Lista* Walker is revised based on Michael Shaffer's unpublished work at the The Natural History Museum, London, England.

The generic names were crosschecked with *The Generic names of Moths of the World* (Fletcher & Nye 1984). The generic name is followed by the year and page of the citation and the type species in parentheses. Synonyms are listed under the generic or species name. Citations and type localities of all species names, including synonyms, are listed. If the original type locality did not include the modern country, it is provided, followed by the more specific type locality. When no specific locality is given and/or the original general locality is ambiguous, the original general locality is listed.

## CHECK LIST

- Agastophanes** Turner, 1937:71. (*zophoxysta* Turner)  
*zophoxysta* Turner, 1937:72. Australia: Queensland: Cape York.
- Anexophana** Viette, 1960a:154. (*robinsonalis* Viette)  
*robinsonalis* Viette, 1960a:155. Madagascar Est: Sahafanjana.
- Araeopaschia** Hampson, 1906:134. (*rufescentalis* Hampson) (not Hampson, 1916a)  
*demotis* (Meyrick, 1887:188) (*Stericta*). West Australia: Geraldton.  
*normalis* (Hampson, 1906:135) (*Spectrotrota*). Australia: Sherlock R.  
*rufescentalis* Hampson, 1906:134. Australia: Geraldton.
- Astrapometis** Meyrick, 1884a:67. (*saburalis* Walker)  
*saburalis* (Walker, 1859:914) (*Pyralis*?). Australia: Moreton Bay.
- Austropaschia** Hampson, 1916a:155. (*porrigens* Hampson)  
*porrigens* Hampson, 1916a:155. W. Australia: Yallingup.
- Axiocrita** Turner, 1913:136. (*cataphanes* Turner)  
*cataphanes* Turner, 1913:136. Australia: Queensland: Kuranda.
- Catalaodes** Viette, 1953:131. (*malgassicalis* Viette)  
*malgassicalis* Viette, 1953:132. Madagascar Est: Fianarantsoa.
- Catamola** Meyrick, 1884a:63. (*funerea* Walker)  
*Elaphernis* Meyrick, 1936:1. (*funerea* Walker)  
*funerea* (Walker, 1863:31) (*Acrobasis*). Australia: Sydney.  
*xanthomelalis* (Walker, 1863:32) (*Acrobasis*?). Australia: Sydney.
- Coenodomus** Walsingham, 1888:49. (*hockingi* Walsingham)  
*Dyaria* Neumoegen, 1893:213. (*singularis* Neumoegen)

- Alippa Aurivillus*, 1894:176. (*anomala Aurivillus*)  
*aglossalis* (Warren, 1896:456) (*Scopocera*). India: Khasias. **New combination**  
*cornucalis* (Kenrick, 1907:73) (*Stericta*).  
 Papua New Guinea: Dinawa. **New combination**  
*dudgeoni* Hampson, 1896a:118. Bhután.  
*fumosalis* Hampson, 1903:35. India: Khásis.  
*hampsoni* West, 1931:209. Philippine Islands: Luzon, Benguet, Palili.  
*hockingi* Walsingham, 1888:50. India: Punjab, Kangra Valley.  
*singularis* (Neumoegen, 1893:215) (*Dyaria*). USA: Maine, Bangor.  
*anomala* (Aurivillus, 1894:176) (*Alippa*). Java.  
*melanochlora* (Hampson, 1916a:147) (*Stericta*). Singapore. **New combination**  
*rotundinidus* Hampson, 1891:127. India: Nilgiri.  
*rubrescens* (Hampson, 1903:36) (*Stericta*). Sikhim. **New combination**  
*schausi* (West, 1931:210) (*Stericta*). Philippine Islands: Luzon, Benguet, Klondyke. **New combination**  
*trichasema* (Hampson, 1916a:147) (*Stericta*). Sri Lanka: Kitulgala. **New combination**  
*trissosticha* (Turner, 1932:192) (*Orthaga*). Australia: Adelaide R.  
**Doddiana** Turner, 1902:187. (*callizona* Lower)  
*analamalis* Viette, 1960b:207. Madagascar Est: Perinet, Analamazaotra.  
*callizona* (Lower, 1896:155) (*Stericta*).  
 Australia: Queensland: Mackay.  
*cyanifusalis* Marion, 1955:115. Madagascar Est: route d'Anosibé.  
**Elisabethinia** Ghesquière, 1942:236. (*cosmia* Ghesquière)  
*cosmia* Ghesquière, 1942:237. Zaire: Elisabethville.  
**Ephedrophila** Dumont, 1928:28. (*lucasi* Mabile)  
*algerialis* (Hampson, 1900:377) (*Ulotricha*). Algiers: Biskra.  
*jordanalis* (Rebel, 1902:100) (*Lepidogma*). Jordan.  
*constantialis* (Hampson, 1906:123) (*Anartula*). Egypt: Suez Canal.  
*lucasi* (Mabile, 1907:308) (*Ulotricha*). Tunisia.
- Epilepia** Janse, 1931:466. (*melanosparsalis* Janse)  
*dentatum* (Matsumura and Shibuya, 1927 in Shibuya, 1927a:349) (*Macalla*). Formosa: Kyoto. Lectotype designated (Inoue and Yamanaka, 1975); Kyoto, Suzuki.  
*melanobrunnea* (Janse, 1922:21) (*Macalla*). South Africa: Hope Fountain.  
*melanosparsalis* (Janse, 1922:24) (*Macalla*). South Africa: Hope Fountain.  
*confusa* (Janse, 1922:26) (*Macalla*). South Africa: Bulawayo.  
*simulata* Janse, 1931:466. N. Nigeria: Agbaja.  
**Epipaschia** Clemens, 1860:14. (*superatalis* Clemens)  
*mesoleucalis* (Hampson, 1916b:129) (*Pococera*). Fr. Guiana: St. Laurent Maroni.  
*furseyialis* (Schaus, 1922:233) (*Macalla*). Guatemala: Quirigua. **New synonym**  
*ochrotalis* (Hampson, 1906:139) (*Macalla*). Fr. Guiana: Cayenne.  
*superatalis* Clemens, 1860:14. USA: Connecticut, Farmington.  
**Eublemmodes** Gaede, 1917:389. (*contumacialis* Gaede)  
*contumacialis* Gaede, 1917:389. Cameroon.  
**Heminomistis** Meyrick, 1933:436. (*melanthes* Meyrick)  
*melanthes* Meyrick, 1933:436. Thailand.  
**Lacalma** Janse, 1931:464. (*porphyrealis* Kenrick)  
*albirufalis* (Hampson, 1916a:137) (*Macalla*). New Guinea: Snow Mts., Oetakwa R.  
*argenteorubra* (Hampson, 1916a:138) (*Macalla*). New Guinea: Mt. Golaith.  
*papuensis* (Warren, 1891:431) (*Stericta*). New Guinea.  
*porphyrealis* (Kenrick, 1907:71) (*Macalla*). Papua New Guinea: Ekeikei, Kebea, Dinawa.  
**Lameera** Ghesquière, 1942:238. (*ensipalpus* Ghesquière)  
*ensipalpis* Ghesquière, 1942:239. Zaire: Lulua, Kapanga.  
**Lamida** Walker, [1859] 1858:252. (*moncusalis* Walker)  
*Allata* Walker, 1863:110. (*penicillata* Walker)  
*buruensis* Janse, 1931:461. Indonesia: Buru.

- mediobarbalis* (Hampson, 1916a:135) (*Macalla*). Sikkim.
- moncusalis* Walker, [1859] 1858:252. Hindostan.
- penicillata* (Walker, 1863:111) (*Allata*). Hindostan.
- obscura* (Moore, 1888:201) (*Orthaga*). India: Darjiling.
- sordidalis* (Hampson, 1916a:136) (*Macalla*). Sikkim.
- proximalis* (Caradja, 1925:53) (*Macalla*). China: Canton.
- Lepidogma** Meyrick, 1890:472. (*tamaricalis* Mann)
- Precopia* Ragonot, 1891:18 (key), 67. (*atomalis* Christoph)
- Asopina* Christoph, 1893:36. (*obratralis* Christoph)
- ambifaria* Hering, 1901:22. Sumatra.
- melanopalus* Hampson, 1906:130. Borneo: Sandakan.
- atomalis* (Christoph, 1887:166) (*Hypotia*). Turkey: Tekké.
- chlorophilalis* Hampson, 1912:1257. Sri Lanka: Maskeliya.
- chrysochloralis* Hampson, 1916a:130. New Guinea: Fak-fak.
- dentilinealis* Hampson, 1906:130. Kenya: Maungu-Inkuhwa.
- farinodes* de Joannis, 1929:627. Vietnam: Tonkin.
- flagellalis* Hampson, 1906:129. Borneo: Kuching.
- hyrcanalis* Amsel, 1961:392. Iran.
- latifasciata* (Wileman, 1911:230) (*Euloastra*). Japan: Hondo, Yoshino.
- megaloceros* Meyrick, 1934:531. Zaire: Elisabethville.
- melaleucalis* Hampson, 1906:129. Ghana: Ashanti: Kumassi.
- melanobasis* Hampson, 1906:129. Japan: Yokohama.
- tripartita* (Wileman-South, 1917a:128) (*Stericta*). Taiwan: Kanshirei.
- melanolopha* Hampson, 1912:1258. Sri Lanka: Kegalle.
- dubia* (Wileman-South, 1917a:128) (*Stericta*). Taiwan: Kanshirei.
- melanospila* Hampson, 1916a:129. Ghana: Bibianaha.
- minimalis* Hampson, 1916a:129. Sri Lanka: Perdeniya.
- obatralis* (Christoph, 1877:264) (*Asopina*). Turkmeniya (USSR): Krasnovodsk.
- olivialis* (Swinhoe, 1895:301) (*Hypsopygia*). India: Mahableshwar.
- novalis* (Warren, 1896:463) (*Ulotrichodes*). India: Bombay.
- rubricalis* Hampson, 1906:131. Zimbabwe: Salisbury.
- rufescens* Hampson, 1896a:112. Bhután.
- tamaricalis* (Mann, 1873:124) (*Hypotia*). Italy: Tuscany.
- vafera* (Swinhoe, 1884:523) (*Hypotia*). Pakistan: Kurrachee.
- wiltshirei* Amsel, 1949:299. Iraq: Bagdad.
- Leptoses** Ghesquière, 1942:236. (*sophronicos* Ghesquière)
- sophronicos* Ghesquière, 1942:236. Zaire: Elisabethville.
- Lista** Walker, 1859:877. (*genisusalis* Walker) **Revised status**
- Paracme* Lederer, 1863:338. (*insulsalis* Lederer) **New synonym**
- Craneophora* Christoph, 1881:1. (*ficki* Christoph) **New synonym**
- Belonepholis* Butler, 1889:89. (*striata* Butler) **New synonym**
- carniola* (Hampson, 1916a:146) (*Stericta*). Papua New Guinea: Dinawa. **New combination**
- ficki* (Christoph, 1881:1) (*Craneophora*). Amur. **New combination**
- striata* (Butler, 1889:90) (*Belonepholis*). India: Dharmasala. **New synonym, new combination**
- haraldusalis* (Walker, [1859] 1858:160) (*Locastra?*). Borneo: Sarawak. **New combination**
- genisusalis* Walker, 1859:877. Borneo: Sarawak. **New synonym**
- insulsalis* (Lederer, 1863:339) (*Paracme*). China: Ningpo. **New combination**
- rubiginetincta* (Caradja, 1925:314) (*Stericta*). China: Canton. **New synonym, new combination**
- plinthochroa* (West, 1931:211) (*Stericta*). Philippine Islands: Luzon, Benguet, Palili. **New combination**
- sumatrana* (Hering, 1901:25) (*Craneophora*). Sumatra. **New combination**
- variegata* (Moore, 1888:203) (*Scopocera*). India: Darjiling. **New combination**
- Locastra** Walker, [1859] 1858:158. (*maimonialis* Walker). By subsequent designation.
- Taurica* Walker, [1866] 1865:1268. (*muscosalis* Walker)
- ardua* Swinhoe, 1902:181. Fiji.

- drucei* Bethune-Baker, 1905:94. Fiji: Nausori.
- bryalis* de Joannis, 1929:631. Vietnam: Tonkin.
- maimonalis* (Walker, [1859] 1859:159) (*Locastra*). Borneo: Sarawak.
- crassipennis* (Walker, 1857:558) (*Eurois*?). Bangladesh: Silhet.
- muscosalis* Walker, [1866] 1865:1269) (*Taurica*). North China.
- sikkima* (Moore, 1888:202) (*Taurica*). India: Darjiling.
- cristalis* (Hampson, 1893:157) (*Locastra*). Sri Lanka.
- pachylepidalis* Hampson, 1896a:119. Bhután.
- Macalla** Walker, [1859] 1858:155. (*thyrsalis* Walker)
- Aradrapha* Walker, [1866] 1865:1257. (*mixtalis* Walker)
- Mochlocera* Grote, 1876:157. (*zelleri* Grote)
- Pseudomacalla* Dognin, 1908:26. (*noctuipalpis* Dognin)
- arctata* (Druce, 1902:325) (*Cecidiptera*, missp.). Peru: Chanchamayo.
- finstanalis* Schaus, 1922:232. Guatemala: Quirigua.
- vulstana* Schaus, 1922:234. Peru: Yahuar mayo. **New synonym**
- hyalinalis* Amsel, 1956:55. Venezuela: Maracay.
- nebulosa* Schaus, 1912:667. Costa Rica: Avangarez.
- niveorufa* Hampson, 1906:139. Panama: Cana Mines.
- noctuipalpis* (Dognin, 1908:26) (*Pseudomacalla*). Argentina: Tucuman.
- sinualis* Jones, 1912:443. Brazil: Paraná: Castro. **New synonym**
- symmetrica* Amsel, 1956:56. Venezuela: Maracay. **New synonym**
- asymmetrica* Amsel, 1956:56. Venezuela: Maracay. **New synonym**
- pallidomedia* Dyar, 1910:136. Guyana: Hoorie.
- macallalis* (Schaus, 1934:111) (*Chloropaschia*). Brazil: Rio de Janeiro: Campo Bello. **New synonym**
- phaeobasalis* Hampson, 1916a:144. Cuba: Santiago.
- regalis* Jones, 1912:443. Brazil: Paraná: Castro.
- euryleuca* Hampson, 1916a:140. Peru: San Gaban. **New synonym**
- hyutanahana* Schaus, 1925:27. Brazil: Hyutanahan, Rio Purús. **New synonym**
- thyrsalis* Walker, [1859] 1858:156. Honduras.
- mixtalis* (Walker, [1866] 1865:1257) (*Aradrapha*). Honduras.
- zelleri* (Grote, 1876:157) (*Mochlocera*). USA: Texas. **New combination**
- Mimaglossa** Warren, 1891:427. (*habitalis* Guenée)
- crypserythra* (Turner, 1904:198) (*Epipaschia*). Australia: Tasmania: Hobart.
- habitalis* (Guenée, 1854:125) (*Glossina*). Australia.
- cervinalis* (Walker, 1862:121) (*Pyralis*). Australia: Tasmania.
- revulis* Warren, 1891:428. Australia.
- nauphalis* (Walker, 1859:272) (*Pyralis*?). Country unknown.
- porphyralis* (Walker, [1866] 1865:1213) (*Pyralis*). Australia: Swan River.
- subcutila* (Walker, 1869:81) (*Acrobasis*). Australia.
- Neopaschia** Janse, 1922:20. (*flavociliata* Janse)
- flavociliata* Janse, 1922:20. South Africa: Barberton.
- lemairei* Viette, 1965:217. Malagasy Republic: Andapa.
- nigromarginata* Viette, 1953:130. Madagascar: Saigon.
- Noctuides** Staudinger, 1892:466. (*melanophia* Staudinger)
- Anartula* Staudinger, 1893:78. (*melanophia* Staudinger)
- Arnatula* Hampson, 1896b:454. (subsp. missp.)
- Parorthaga* Hampson, 1896a:110. (*euryptera* Meyrick)
- albifascia* (de Joannis, 1929:626) (*Anartula*). Vietnam: Tonkin.
- griseoviridis* (Pagenstecher, 1907:130) (*Anartula*). Madagascar.
- melanochyta* (Meyrick, 1933:435) (*Anartula*). Zaire: Katakumba.
- melanophia* (Staudinger, 1892:466) (*Anartula*). USSR: Amur Region.
- euryptera* (Meyrick, 1894:476) (*Balanotis*). Malay Archipelago: Sambawa.
- thurivora* (Meyrick, 1932:319) (*Anartula*). Sri Lanka: Galle.
- tympantophora* (Turner, 1904:193) (*Anartula*). Australia: Queensland: Eumundi.

- Nyctereutica** Turner, 1904:192. (*asbolopsis* Turner).
- Diastrophica* Turner, 1937:72. (*tephrophanes* Turner)
- asbolopsis* Turner, 1904:192. Australia: Queensland: Townsville.
- capnopis* (Meyrick, 1885:439) (*Catamola*). Australia: New South Wales: Mt. Kosciusko.
- elassota* (Meyrick, 1884b:280) (*Catamola*). South Australia: Quorn.
- melanophorella* (Walker, 1866:1831) (*Gelechia*). Australia: Sydney.
- tephrophanes* (Turner, 1937:72) (*Diastrophica*). Australia: Queensland.
- tornotis* (Meyrick, 1887:188) (*Stericta*). Australia: Queensland: Helidon.
- Obutobea** Ghesquière, 1942:239. (*chrysophora* Ghesquière)
- chrysophora* Ghesquière, 1942:240. Zaire: Eala.
- Odontopaschia** Hampson, 1903:34. (*virescens* Hampson).
- economia* Turner, 1913:133. Australia: Queensland: Kuranda.
- stephanuchra* Tams, 1935:255. Samoa.
- virescens* Hampson, 1903:34. India: Khásis.
- Omphalepia** Hampson, 1906:190. (*sobria* Hampson)
- dujardini* Viette, 1967:56. Madagascar Ouest: Andranomena.
- sobria* Hampson, 1906:191. British East Africa.
- Omphalota** Hampson, 1899:479. (*chlorobasis* Hampson)
- chlorobasis* Hampson, 1899:480. India: Simla.
- Oncobela** Turner, 1937:72. (*philobrya* Turner)
- philobrya* Turner, 1937:73. Australia: Queensland: Cape York.
- Orthaga** Walker, [1859] 1858:191. (*euadrusalis* Walker)
- Edeta* Walker, [1859] 1858:198. (*icarusalis* Walker)
- Pannucha* Moore, 1888:199. (*aenes-cens* Moore)
- Proboscidophora* Warren, 1891:429. (*tritonalis* Walker)
- Hyperbalanotis* Warren, 1891:433. (*achatina* Butler)
- achatina* (Butler, 1878:1856) (*Glossina*). Japan: Yokohama.
- aenescens* (Moore, 1888:200) (*Pannucha*). India: Darjiling.
- vicinialis* (Snellen, 1890:567) (*Pannucha*). India: Darjiling.
- amphimelas* Turner, 1913:140. Australia: N. Territory: Port Darwin.
- asbolaea* (Meyrick, 1938:73) (*Catamola*). West Java: Mt. Guntur: Garoet.
- auroviridialis* Hampson, 1896a:126. Sikhim: Bhután.
- basalis* (Moore, 1888:200) (*Pannucha*). India: Darjiling.
- bipartalis* Hampson, 1906:147. Singapore.
- castanealis* (Kenrick, 1907:72) (*Locastra*). Papua New Guinea: Dinawa.
- chionalis* Hampson, 1906:147. Singapore.
- chionalis* Kenrick, 1907:73. Papua New Guinea: Ekeikei, Babouni, Kebea, Dinawa.
- columbalis* Kenrick, 1907:74. Papua New Guinea: Kebea.
- confusa* Wileman-South, 1917a:128. Taiwan: Kanshirei.
- cryptochalcis* de Joannis, 1927:234. Mozambique: Lourenço-Marquês: Makulane.
- disparoidalis* Caradja, 1925:59. China: Shanghai.
- durranti* West, 1931:211. Philippines Islands: Luzon, Benguet, Pauai, Haight's Place.
- ecphocea* Hampson, 1916a:152. Br. N. Guinea: Mt. Kebea.
- edetalis* Strand, 1919:52. Taiwan: Kosempo.
- erebochlaena* Meyrick, 1938:75. South Central Java: Djokjakarta.
- euadrusalis* Walker, [1859] 1858:191. Borneo: Sarawak.
- acontialis* Walker, 1863:103. Borneo: Sawawak.
- eumictalis* Hampson, 1916a:150. New Guinea: Fak-fak.
- euryzona* Hampson, 1896a:128. Burma: E. Pegu.
- exvinacea* (Hampson, 1891:127) (*Balanotis*). India: Nilgiri.
- ferrealis* Hampson, 1906:145. Australia: Queensland, Townsville.
- fuliginosa* (Rothschild, 1915:116) (*Polyphota*). New Guinea: Utakwa River.
- fumida* (Hering, 1901:32) (*Pannucha*). Sumatra.
- fuscofascialis* Kenrick, 1907:74. Papua New Guinea: Dinawa and Kebea.
- haemarmorphoralis* Hampson, 1916a:150. New Guinea: Setakwa R.

- hemileuca* Hampson, 1916a:149. New Guinea: Fak-fak.
- icarusalis* (Walker, [1859] 1858:199) (*Edeta*). Borneo: Sarawak.
- irrorata* (Hampson, 1893:156) (*Balanothis*). Sri Lanka.
- leucatma* (Meyrick, 1932:321) (*Balanothis*). Sri Lanka: Peradeniya.
- leucolophota* Hampson, 1916a:151. New Guinea: Snow Mts: Oetakwa R.
- lithochroa* Hampson, 1916a:152. N. Australia: Port Darwin.
- mangiferae* Misra, 1932:539. India.
- melanoperalis* Hampson, 1906:146. Borneo: Pulo Laut.
- meyricki* West, 1931:211. Philippine Islands: Luzon, Benuet, Palali.
- mixtalis* Walker, 1863:104. Borneo: Sarawak.
- molleri* Hampson, 1896a:126. Sikhim.
- olivacea* (Warren, 1891:433) (*Hyperbalanotis*). Japan.
- amurensis* (Hampson, 1900:376) (*Macalla*). Amurland: Ussuri.
- shisalis* (Strand, 1919:53) (*Stericta*). Taiwan: Shisa.
- onerata* (Butler, 1879b:447) (*Bleptina*). Japan.
- grisealis* Wileman, 1911:366. Japan: Yokohama.
- phaeopteralis* Lower, 1902:664. Australia: Queensland: Duaringa.
- picta* (Warren, 1895:461) (*Stericta*). Australia: Queensland.
- percnodes* Turner, 1905:63. Australia: Queensland: Kuranda.
- polyscia* (Turner, 1913:138) (*Epipaschia*). Australia: Queensland: Cairns.
- prionosticha* Turner, 1925a:45. Australia: Queensland: Coolangatta.
- rhodoptila* (Meyrick, 1932:320) (*Balanothis*). Sri Lanka: Galle.
- roseiplaga* Hampson, 1896a:124. India: Bombay.
- rubridiscalis* Hampson, 1906:146. Australia: Queensland.
- rudis* (Walker, 1862:115) (*Locastra*). Hindostan.
- semialba* Meyrick, 1932:319. Malaya: Kuala Lumpur.
- semieburnea* Roepke, 1932:99. Celebes: Tonsealama.
- seminivea* (Warren, 1895:463) (*Stericta*?). Australia: Queensland.
- chionopa* (Lower, 1896:155) (*Stericta*). Australia: Queensland: Brisbane.
- subbasalis* (Hering, 1901:30) (*Pannucha*). Sumatra.
- thyrisalis* (Walker, 1858:167) (*Bertula*). Australia: Sydney.
- nigricalis* (Walker, 1862:120) (*Pyralis*). Australia: Tasmania.
- tritonialis* (Walker, 1859:906) (*Pyralis*). Borneo: Sarawak.
- rotundalis* Walker, 1863:106. Borneo: Sarawak.
- umbrimargo* de Joannis, 1927:235. Mozambique: Lourenço-Marquês: Makulane.
- vitalis* (Walker, 1859:897) (*Pyralis*). Sri Lanka.
- helvialis* (Walker, 1859:915) (*Pyralis*). Country unknown.
- altusalis* (Walker, 1859:1022) (*Pyralis*). Obj. repl. name.
- Parastericta** Janse, 1931:486. (*lanata* Janse) *lanata* Janse, 1931:486. Indonesia: Buru.
- Peplochora** Meyrick, 1933:437. (*zalalges* Meyrick) *zalalges* Meyrick, 1933:437. Sri Lanka: Gampola.
- Plumiphora** Janse, 1931:485. (*pratti* Janse) *pratti* Janse, 1931:485. Sumatra: Barisan Range.
- Plutopaschia** Hampson, 1917:361. (*sinapis* Rothschild) *sinapis* (Rothschild, 1915:115) (*Stericta*). New Guinea: Utakwa River.
- Poliopaschia** Hampson, 1916a:156. (*brachypalpia* Hampson) *brachypalpia* Hampson, 1916a:156. W. Australia: Yallingup.
- Polylophota** Hampson, 1906:189. (*barbarossa* Hampson) *arruensis* (Kenrick, 1912:547) (*Macalla*). New Guinea: Arfak Mts.
- atriplagalis* Hampson, 1916a:146. New Guinea: Fak-fak. **New synonym, new combination**
- klossti* Rothschild, 1915:116. New Guinea: Canoe Camp.
- senilis* Janse, 1931:479. New Guinea: Arfak Mts., Angi lakes.
- barbarossa* Hampson, 1906:189. Papua New Guinea: Moroka.
- truncalis* Kenrick, 1907:72. Papua New Guinea: Dinawa. **New synonym, new combination**
- Rhynchopaschia** Hampson, 1906:190. (*melanolopha* Hampson) *chalcospaera* Meyrick, 1934:532. Zaire: Elisabethville.

- hemichlora* Meyrick, 1934:531. Zaire: Elisabethville.
- melanophya* Hampson, 1906:190. Zimbabwe.
- reducta* Janse, 1931:482. South Africa: Barberton.
- virescens* Hampson, 1916a:154. Ghana: Bibianaha.
- Salma** Walker, 1863: 107. (*recurvalis* Walker)
- Exacosmia* Walker, 1864:609. (*rubiginosa* Walker)
- Calinipaxa* Walker, 1865:1218. (*validalis* Walker)
- Parasarama* Warren, 1890:474. (*cuproviridalis* Moore)
- Orthotrichophora* Warren, 1891:429. (*syrichtusalis* Walker)
- Heterobella* Turner, 1904:193. (*triglochis* Turner)
- Enchesphora* Turner, 1913:141. (*poliophanes* Turner)
- aenochroa* (Hampson, 1906:136) (*Macalla*). Brit. N. Guinea: Moroka.
- albifurcalis* (Hampson, 1916a:144) (*Macalla*). Travancore: Pirmád.
- amauropsis* (Turner, 1925b:117) (*Epipaschia*). Tasmania.
- amica* (Butler, 1879b:447) (*Locastra*). Japan.
- apicalis* (Kenrick, 1907:71) (*Macalla*). Papua New Guinea: Kebea, Dinawa, Babouni, Ekeikei.
- polypsamma* (Turner, 1937:74) (*Epipaschia*). Australia: North Queensland: Kuranda.
- atricinctalis* (Hampson, 1916a:141) (*Macalla*). India: Travancore: Pirmád.
- atrox* (Caradja, 1926:170) (*Macalla*). Japan.
- aureobasilis* (Caradja, 1932:10) (*Macalla*). China: Amoy, Canton.
- baibarana* (Shibuya, 1928:101) (*Macalla*). Taiwan: Baibara.
- basiochra* (Turner, 1937:75) (*Epipaschia*). Australia: North Queensland: Cape York.
- brachyscopalis* (Hampson, 1912:1258) (*Macalla*). Sri Lanka: Maskeliya.
- camphorella* (de Joannis, 1929:629) (*Macalla*). Vietnam: Tonkin.
- caradriniformis* (Kenrick, 1907:70) (*Macalla*). Papua New Guinea: Dinawa and Ekeikei.
- carbonifera* (Meyrick, 1932:319) (*Lamida*). India: U.P.: Dehra Dun.
- chlorographalis* (Hampson, 1916a:138) (*Macalla*). New Guinea: Fak-fak.
- chlorophoena* (Turner, 1913:137) (*Macalla*). Australia: Queensland: Mt. Tambourine.
- cholica* (Meyrick, 1884a:66) (*Cacozelia*). Australia: Queensland: Duarina.
- lygropa* (Turner, 1905:62) (*Epipaschia*). Australia: Queensland: Toowoomba.
- cinerascens* (Warren, 1891:431) (*Stericta*). Australia: New South Wales: Parramatta.
- cletolis* (Turner, 1905:61) (*Epipaschia*). Australia: Queensland: Kuranda.
- chloanthes* (Turner, 1913:139) (*Epipaschia*). Australia: Queensland: Kuranda.
- congenitalis* (Caradja, 1931:205) (*Macalla*). China: Kwanhsien.
- conjuncta* (Warren, 1896:454) (*Parasarama*). India: Khasias.
- cupreotincta* (Janse, 1922:25) (*Macalla*). South Africa: Umtali.
- cuproviridalis* (Moore, 1867:87) (*Locastra*). Bengal, Darjiling.
- curtulis* (Kenrick, 1907:70) (*Macalla*). Papua New Guinea: Dinawa.
- derogatella* (Walker, 1863:30) (*Acrobasis*). Borneo: Sarawak.
- diaprepes* (Turner, 1925a:45) (*Macalla*). Australia: N. Queensland: Kuranda.
- dimidialis* (Snellen, 1890:568) (*Pannucha*). India: Darjiling.
- dochmoscia* (Turner, 1905:61) (*Macalla*). Australia: Queensland: Kuranda.
- dubiosalis* (Caradja, 1925:56) (*Macalla*). China: Lienping.
- ebenina* (Turner, 1904:197) (*Macalla*). Australia: Queensland: Brisbane.
- elatalis* (Caradja, 1925:52) (*Macalla*). China: Canton.
- eumictalis* (Hampson, 1912:1259) (*Macalla*). Sri Lanka: Maskeliya.
- eupepla* (Turner, 1915:35) (*Macalla*). Australia: Queensland: Kuranda.
- exrufescens* (Hampson, 1896a:116) (*Macalla*). Sikhim.
- fasciculata* (Hampson, 1906:137) (*Macalla*). Natal.
- fasciolata* (Rothschild, 1915:114) (*Macalla*). New Guinea: Utakwa River.
- flavicollaris* (Hampson, 1916a:135) (*Macalla*). New Guinea: Fak-fak.
- fulvitinctalis* (Hampson, 1906:138) (*Macalla*). Kenya: Taru.
- galeata* (Hampson, 1906:136) (*Macalla*). Australia: Sherlock R.
- glaucochrysalis* (Hampson, 1906:140) (*Macalla*). Borneo: Sandakan.



- glyceropa* (Turner, 1937:73) (*Macalla*).  
Australia: Queensland: Brisbane.
- grisealis* (Caradja, 1925:51) (*Macalla*).  
China: Canton.
- hicanodes* (Turner, 1937:74) (*Epipaschia*). Australia: Denmark.
- hoenei* (Caradja, 1931:4) (*Macalla*). China: Mokanshan.
- hupehensis* (Hampson, 1916a:145) (*Macalla*). C. China: Hupeh Prov: Lushin-Tze.
- hyponalis* (Hampson, 1899:480) (*Macalla*). Sikhim.
- hypoxantha* (Hampson, 1896b:465) (*Macalla*). Sikhim.
- ignezonalis* (Hampson, 1906:140) (*Macalla*). Sierra Leone.
- impurella* (Caradja, 1925:55) (*Macalla*).  
China: Shanghai.
- kwangtungialis* (Caradja, 1925:54) (*Macalla*). China: Lienping.
- lakasy* (Viette, 1981:315) (*Macalla*).  
Madagascar Ouest: Marosely.
- lithochlora* (Lower, 1896:154) (*Epipaschia*). Australia: Queensland: Brisbane.
- lophotalis* (Hampson, 1900:375) (*Macalla*).  
Armenia: Zeitun: Mardin.
- madegassalis* (Viette, 1960a:154) (*Macalla*).  
Madagascar Ouest: Sud de Morondara.
- malgassica* (Kenrick, 1917:97) (*Macalla*).  
Madagascar.
- marmorea* (Warren, 1891:432) (*Stericta*).  
Australia: Tasmania: Hobart.
- mauritanica* (Amsel, 1953:146) (*Macalla*).  
Mauritania: Tagant: Haceira.
- melanobasis* (Hampson, 1906:139) (*Macalla*).  
Zimbabwe.
- melapastalis* (Hampson, 1906:136) (*Macalla*).  
Zimbabwe: Salisbury.
- melli* (Caradja and Meyrick, 1934:145) (*Macalla*).  
China: Kwangtung.
- mesaleucalis* (Hampson, 1916a:136) (*Macalla*).  
Province Wellesley.
- metachryseis* (Hampson, 1906:141) (*Macalla*).  
British East Africa: Eb Urru.
- metasarcia* (Hampson, 1903:35) (*Macalla*).  
Sikhim.
- metaxanthalis* (Hampson, 1916a:142) (*Macalla*).  
New Guinea: Fak-fak.
- minoralis* (Hampson, 1906:137) (*Macalla*).  
Singapore.
- miosuari* (Kenrick, 1912:547) (*Macalla*).  
New Guinea: Mioswar I.
- mnesibrya* (Meyrick, 1884:71) (*Balanotis*).  
Australia: New South Wales: Murrurundi.
- mnariaris* (Turner, 1905:60) (*Macalla*).  
Australia: Queensland: Kuranda.
- elaea* (Hampson, 1906:135) (*Macalla*).  
New Guinea: Fergusson I.
- mninomima* (Turner, 1913:137) (*Macalla*).  
Australia: Queensland: Atherton.
- nankingialis* (Caradja, 1925:54) (*Macalla*).  
China: Nanking.
- nephelodes* (Turner, 1933:170) (*Epipaschia*).  
Australia: Queensland: Yeppoon.
- nubilalis* (Hampson, 1893:157) (*Stericta*).  
Sri Lanka.
- nyctichroalis* (Hampson, 1916a:139) (*Macalla*).  
Br. New Guinea: Sogeri.
- nyctizonalis* (Hampson, 1916a:139) (*Macalla*).  
Philippines: Manila.
- obliquilineata* (Shibuya, 1928:102) (*Macalla*).  
Taiwan: Baibara.
- ochroalis* (Hampson, 1916a:142) (*Macalla*).  
Sri Lanka: Eppawela.
- olivaceoalba* (Rothschild, 1915:115) (*Stericta*).  
New Guinea: Utaqua River.
- olivalis* (Kenrick, 1912:547) (*Macalla*).  
New Guinea: Arfak Mts.
- olivaris* (Hampson, 1916a:140) (*Macalla*).  
Ghana: Bibianaha.
- soudanensis* (Rothschild, 1921:226) (*Pyraxis*).  
Africa.
- pelosica* (Turner, 1913:138) (*Macalla*).  
Australia: Queensland: Kuranda.
- pentabela* (Turner, 1915:34) (*Macalla*).  
Australia: New South Wales: Mt. Kosciusko.
- peratophaea* (Turner, 1937:75) (*Epipaschia*).  
Australia: Queensland: Cape York.
- perdentalis* (Kenrick, 1907:71) (*Macalla*).  
Papua New Guinea: Dinawa, Kebea.
- phaeoperalis* (Hampson, 1916a:141) (*Macalla*).  
Sri Lanka: Galgama.
- phidiasalis* (Walker, [1859] 1858:166) (*Bertula*).  
Borneo: Sarawak.
- philiasalis* (Walker, 1863:104) (*Orthaga*).  
Borneo: Sarawak.
- plicatalis* (Hampson, 1903:35) (*Macalla*).  
Sri Lanka: Matale.
- plumbeopictalis* (Hampson, 1916a:143) (*Macalla*).  
New Guinea: Fak-fak.
- polychroalis* Kenrick, 1907:73. Papua  
New Guinea: Dinawa.
- pomalus* (Kenrick, 1907:70) (*Macalla*).  
Papua New Guinea: Dinawa.
- poliophanes* (Turner, 1913:141) (*En-*

- chesphora*). Australia: N. Territory: Port Darwin.
- pretiosalis* (Caradja, 1925:55) (*Macalla*). China: Shanghai, Kiangsi.
- pseudopinguinalis* (Caradja, 1925:56) (*Macalla*). China: Lienping.
- purpureopicta* (Hampson, 1916b:170) (*Macalla*). Somaliland.
- pyrastis* (Meyrick, 1887:190) (*Stericta*). Australia: New South Wales: Newcastle.
- ferruginea* (Lucas, 1894:156) (*Balanotis*). Australia: Brisbane.
- recurvalis* Walker, 1863:107. Borneo: Sarawak.
- rubiginosa* (Walker, 1865:609) (*Exacoscma*). Australia.
- malanospilellus* (Walker, 1866:1759) (*Crambus?*). Australia: Sydney.
- cryptaula* (Meyrick, 1887:191) (*Balanotis*). Australia: New South Wales: Sydney.
- ridiculalis* (Caradja, 1925:56) (*Macalla*). China: Canton.
- ribripalpalis* (Hampson, 1916a:137) (*Macalla*). New Guinea: Mt. Goliath.
- rugosalis* (Hampson, 1916a:142) (*Macalla*). Australia: Rook I.
- rufibarbalis* (Hampson, 1903:34) (*Macella*, missp.). Sikhim.
- rufitinctalis* (Warren, 1896:455) (*Parasarama*). Borneo: Sarawak.
- sagarisalis* (Walker, [1859] 1858:160) (*Locastra*). Borneo: Sarawak.
- scoporhyncha* (Hampson, 1896a:114) (*Macalla*). Sikhim.
- seyrigalis* (Viette, 1960a:154) (*Macalla*). Archipel des Comores: Mayotte: Convalescence.
- shanghaiella* (Caradja, 1925:53) (*Macalla*). China: Shanghai.
- shibuyai* (West, 1931:208) (*Macalla*). Philippine Islands: Luzon, Benguet, Palali.
- streptomela* (Lower, 1896:156) (*Stericta*). Australia: Queensland: Duaringa.
- syrichthusalis* (Walker, [1859] 1858:165) (*Bertula*). Borneo: Sarawak.
- pyralisalis* (Walker, 1863:105) (*Orthaga*). Borneo: Sarawak.
- tegulalis* (Walker, 1863:105) (*Orthaga*). Borneo: Sarawak.
- tenebrosalis* (Kenrick, 1907:71) (*Macalla*). Papua New Guinea: Kebea, Ekeikei, Babouni.
- tholoeessa* (Turner, 1925b:116) (*Catamola*). Australia: Tasmania.
- triglochis* (Turner, 1904:194) (*Heterobel-la*). Australia: Queensland: Brisbane.
- umbrosalis* (Hampson, 1916a:143) (*Macalla*). Papua New Guinea: Mt. Kebea.
- unipunctalis* (Kenrick, 1907:70) (*Macalla*). Papua New Guinea: Dinawa.
- vadoni* (Viette, 1981:316) (*Macalla*). Madagascar Est: baie d'Antongil.
- validalis* (Walker, 1865:1218) (*Calinipaxa*). Borneo: Sarawak.
- minor* (Moore, 1888:203) (*Scopocera*). India: Darjiling.
- fumosalis* (Warren, 1896:461) (*Peucella*). India: Khasias.
- costimacula* (Wileman-South, 1917b:175) (*Pyralis*). Formosa: Rantazan.
- viridetincta* (Caradja, 1925:52) (*Macalla*). China: Lienping, Amoy, Canton, Kuling.
- viridirufalis* (Hampson, 1916a:145) (*Macalla*). New Guinea: Fak-fak.
- wollastoni* (Rothschild, 1915:114) (*Macalla*). New Guinea: Uakwa River.
- zophera* (Turner, 1904:196) (*Macalla*). Australia: Queensland: Burpengary.
- mixtirosalis* (Hampson, 1906:135) (*Macalla*). Australia: Queensland: Dawson District.
- Shoutedenidea** Ghesquière, 1942:235. (*ophigona* Ghesquière)
- ophigona* Ghesquière, 1942:235. Zaire: Kai Bumba.
- Sparactica** Meyrick, 1938:74. (*eustola* Meyrick)
- eustola* Meyrick, 1938:75. West Java: Mt. Guntur: Garoet.
- Spectrotrota** Warren, 1891:426. (*fimbrialis* Warren)
- erythrolepia* Hampson, 1916a:134. Formosa: Arizan.
- catena* Wileman-South, 1917a:127. Taiwan: Arizan.
- fimbrialis* Warren, 1891:427. Australia.
- Speiroceras** Chrétien, 1911:12. (*pectinellum* Chrétien)
- pectinellum* Chrétien, 1911:12. Mauritania: Biskra.
- Stericta** Lederer, 1863:267. (*divitalis* Guenée). Obj. repl. name.
- Glossina* Guenée, 1854:124. (*divitalis* Guenée)
- Pseudocera* Walker, 1863:116. (*inconcisa* Walker).

- Canipsa* Walker, [1866] 1865:1217. (*suspensalis* Walker).
- Matalia* Walker, 1866:1727. (*conci-sella* Walker).
- Phialia* Walker, 1866:1736. (*gelechiella* Walker).
- Sarama* Moore, 1888:203. (*atkinsonii* Moore).
- Scopocera* Moore, 1888:202. (*pyraliata* Moore).
- aeruginosa* Lucas, 1894:155. Australia: Brisbane.
- angulosa* de Joannis, 1929:633. Vitenam: Tonkin.
- angusta* (Inoue, 1988:85) (*Jocara*). Japan: Shizuoka Pref, Nashimoto.
- angustalis* Caradja, 1925:57. China: Lienping.
- asopialis* (Snellen, 1890:568.) (*Pannucha*). India: Darjiling.
- atribasalis* Hampson, 1900:376. Amurland: Sutschau, Askold I.
- atkinsoni* (Moore, 1888:204) (*Sarama*). India: Darjiling.
- atribasalis* Warren, 1895:461. Australia: Queensland.
- leucodesma* Lower, 1896:156. Australia: Queensland: Bulimba, Brisbane.
- basalis* (South, 1901:417) (*Orthaga*). Japan: Nagasaki.
- japonica* (Marumo, 1920:266) (*Lepidogma*). Japan.
- basilaris* (de Joannis, 1929:634) (*Stricta*). Vietnam: Tonkin.
- bryomima* (Turner, 1913:141) (*Orthaga*). Australia: Queensland, Montville.
- callibrya* Meyrick, 1933:437. Sri Lanka: Batapola.
- caradjai* West, 1931:209. Philippine Islands: Mindanao, Lanao, Kolambugan.
- carbonalis* (Guenée, 1854:77) (*Helia*). Terre de Van-Diemen.
- costigeralis* (Walker, 1862:121) (*Pyralis*). Australia: Sydney.
- gelechiella* (Walker, 1866:1736) (*Phialia*). Australia: Tasmania.
- inuncta* (Lucas, 1898:80) (*Catamola*). Australia: Queensland.
- carneotincta* Hampson, 1896a:123. Sikhim.
- centralis* (Wileman-South, 1917a:129) (*Orthaga*). Formosa.
- conci-sella* (Walker, 1866:1728) (*Matalia*). Australia: Swan River.
- rubroviridis* Warren, 1895:463. Australia: Queensland.
- congenitalis* Hampson, 1906:144. Borneo: Sandakan.
- corticalis* Pagenstecher, 1900:167. Bismarck Archipelago.
- divitalis* (Guenée, 1854:124) (*Glossina*). Central India.
- phereciusalis* (Walker, [1859] 1858:159) (*Locastra*). Borneo: Sarawak.
- dohrni* Hering, 1901:27. Sumatra.
- evanescens* Butler, 1887:115. Solomon Islands: Alu.
- flammealis* Kenrick, 1907:72. Papua New Guinea: Ekeikei.
- hoenei* Caradja and Meyrick, 1935:28. China.
- ignebasalis* Hampson, 1916a:148. New Guinea: Fak-fak.
- inconcisa* (Walker, 1863:116) (*Pseudocera*). Borneo: Sarawak.
- indistincta* Rothschild, 1915:115. New Guinea: Utakwa River.
- lactealis* Caradja, 1931:206. China: Kwanhsien.
- leucozonalis* Hampson, 1906:142. Singapore.
- lophocephalis* Hampson, 1906:144. Borneo: Sandakan.
- loxochlaena* Meyrick, 1938:74. West Java: Mt. Guntur, Garoet.
- loxophaea* (Turner, 1937:75) (*Epipaschia*). Australia: Queensland, Cape York.
- mediovialis* Hampson, 1916a:148. Queensland: Cairns.
- olivialis* Hampson, 1903:36. Bhután: Khásis.
- orchidivora* (Turner, 1904:199) (*Orthaga*). Australia: Queensland, Burpengary.
- phanerostola* Hampson, 1916a:148. New Guinea: Babooni.
- plumbifloccalis* Hampson, 1896a:123. Burma: Tenasserim.
- prasina* Warren, 1895:462. Australia: Queensland.
- pyraliata* (Moore, 1888:202) (*Scopocera*). India: Darjiling.
- rufescens* Hampson, 1896a:120. Bhután: *kiiensis* (Marumo, 1920:266) (*Lepidogma*). Japan.
- rurealis* Kenrick, 1912:548. New Guinea: Arfak Mts.
- sectilis* Hering, 1901:21. Sumatra.
- sinuosa* (Moore, 1888:203) (*Scopocera*). India: Darjiling.

- subviridalis* Kenrick, 1907:73. Papua New Guinea: Kebea, Dinawa, Babouni.
- klossi* Rothschild, 1915:115. New Guinea: Utakwa River.
- suspensalis* (Walker, [1866] 1865:1217) (*Canipsa*). Borneo: Sarawak.
- capnotila* (Meyrick, 1938:73) (*Macalla*). South Central Java: Djokjakarta.
- Teliphasa** Moore, 1888:200. (*orbiculifer* Moore)
- albifusa* (Hampson, 1896a:113) (*Macalla*). Sikhim. Nagas.
- shishana* (Strand, 1919:51) (*Macalla*). Taiwan: Shisa.
- andrianalis* Viette, 1960a:158. Madagascar Est: Sakaraha, Lambomakan.
- dibelana* Ghesquière, 1942:238. Zaire: Bena-Dibele.
- nubilosa* Moore, 1888:201. India: Darjiling.
- orbiculifer* Moore, 1888:201. India: Darjiling.
- sakishimensis* Inoue and Yamanaka, 1975:100. Japan: Mt. Banna, Ishigakijima, Ryukyu Is.
- Termioptycha** Meyrick, 1889:504. (*cyanopa* Meyrick)
- Pseudolocastra* Warren, 1891:429. (*inimica* Butler)
- Sialocyttara* Turner, 1913:134. (*erasta* Turner)
- aurantiaca* Janse, 1931:455. New Guinea: Arfak Mts.
- bilineata* (Wileman, 1911:364) (*Macalla*). Japan: Settsu, Shioya.
- eucarta* (Felder & Rogenhofner, 1875:pl. cxxxvi, fig.28) (*Ethnistis*). Moluccas.
- cyanopa* Meyrick, 1889:505. New Guinea.
- erasta* (Turner, 1913:134) (*Sialocyttara*). Australia: Queensland, Kuranda.
- distantia* Inoue, 1982:378. Japan.
- inimica* (Butler, 1879b:448) (*Locastra*). Japan.
- elegans* (Butler, 1881:581) (*Locastra*). Japan: Yokohama.
- margarita* (Butler, 1879a:66) (*Locastra*). Japan: Yokohama.
- lativitta* (Moore, 1888:199) (*Locastra*). India: Darjiling.
- nigrescens* (Warren, 1891:428) (*Parasama*?). Japan: Yesso.
- scoparialis* (Wileman, 1911:365) (*Macalla*). Japan: Nikko.
- chosenalis* (Shibuya, 1927b:93) (*Macalla*). Korea.
- Titanoceros** Meyrick, 1884a:62. (*cataxantha* Meyrick)
- cataxantha* Meyrick, 1884a:63. Australia: New South Wales: Sydney.
- heliodyras* Meyrick, 1933:436. Australia: Queensland, Townsville.
- malefica* (Meyrick, 1934:531) (*Jocara*). India: Madras: Nilambur.
- mirandalis* (Caradja, 1925:51) (*Jocara*). China: Lienping.
- poliochyta* Turner, 1904:191. Australia: Queensland, Townsville.
- thermoptera* (Lower, 1903:59) (*Jocara*). Australia: New South Wales, Broken Hill.
- vinotinctalis* (Caradja, 1928:361) (*Jocara*). China: Lienping.
- viridibasalis* (Caradja, 1932:9) (*Jocara*). China: Omei shan.
- Trichotophysa** Warren, 1896:456. (*olivalis* Warren)
- juncundalis* (Walker, 1865:1164) (*Bleptina*?). Sri Lanka.
- olivalis* Warren, 1896:457. India: Khasias.
- olivalis* (Wileman, 1911:365) (*Stericta*). Japan: Yoshino, Yamato.
- yamatomis* (Strand, 1919:55) (*Stericta*). Taiwan: Yamato.
- Incertae sedis**
- africalis* (Hampson, 1906:128) (*Pococera*). Kenya: Tana R.
- cinerea* (Ghesquière, 1942:234) (*Tioga*). Zaire: Elisabethville.
- aethlea* (Ghesquière, 1942:234) (*Tioga*). Zaire: Elisabethville.
- zophoptera* (Ghesquière, 1942:234) (*Tioga*). Zaire: Manghay.
- albicristata* (Warren, 1911:28) (*Isolopha*). South Africa.

## ACKNOWLEDGMENTS

Robert Poole, Systematic Entomology Laboratory, helped to locate many of the more obscure journals. Ronald Hodges, Systematic Entomology Laboratory, reviewed and provided encouragement toward the disposition of this work. Jay Shaffer, Michael Pogue,

Norman Woodley, and two anonymous reviewers provided suggestions that greatly improved the manuscript. I thank Michael Shaffer for allowing me to use the catalog at The Natural History Museum, London, England to crosscheck my list. The following individuals and institutions also provided material, types, and/or photos: E. Nielsen (Australian National Insect Collection), P. Viette and J. Minet (Museum National d'Histoire Naturelle), C. B. Cottrell (Transvaal Museum), H. J. Hanneman (Zoologisches Museum, Humboldt Universität), M. Lödl (Naturhistorisches Museum Wien), U. Dall'Asta (Musée Royal de L'Afrique Centrale), and J. Rawlins (Carnegie Museum). Funds for study in London were provided by the Gahan Fellowship from the Department of Entomology, University of Maryland, and Sigma Xi.

## LITERATURE CITED

- AMSEL, H. G. 1949. On the Microlepidoptera collected by E. P. Wiltshire in Irak and Iran in the years 1935-1938. *Bull. Soc. Fouad* 33:271-351.
- 1953. Neue Kleinschmetterlinge aus nordwest Africa. *Bull. l'Inst. fran. d'Afrique Noire*. 15:1441-1454.
- 1956. Microlepidoptera Venezolana I. *Bol. Entomol. Venez.* 10:1-336.
- 1961. Die Microlepidopteren der Brandt'schen Iran-Ausbeute. S. Teil. *Ark. Zool. Stockholm (N.S.)*. 13:323-446.
- AURIVILLUS, C. 1894. Neue Spinner aus Asien. *Entomol. Tidsk.* 15:169-177.
- BETHUNE-BAKER, G. T. 1905. Notes on a small collection of Heterocera from the Fiji Islands, with descriptions of some new species. *Proc. Zool. Soc. London* 1:88-95.
- BUTLER, A. G. 1878. Illustrations of Lepidoptera Heterocera of the British Museum. Part II. Trustees of the BM, London. 62 pp.
- 1879a. Illustration of the Lepidoptera Heterocera of the British Museum. Part III. Trustees of the BM, London. 82 pp.
- 1879b. Descriptions of new species of Lepidoptera from Japan. *Ann. Mag. Nat. Hist.* (5)4:437-457.
- 1881. Descriptions of new genera and species of heterocerous Lepidoptera from Japan. *Trans. Entomol. Soc. London (Part IV)*:579-600.
- 1887. Descriptions of new species of heterocerous Lepidoptera (Pyalites) from the Solomon Islands. *Ann. Mag. Nat. Hist.* (5)20:114-124.
- 1889. Illustrations of Lepidoptera Heterocera of the British Museum. Part VII. Trustees of the BM, London. 90 pp.
- CARADJA, A. 1925. Ueber chinas Pyaliden, Tortriciden, Tineiden nebst kurze Betrachtungen, zu denen das Studium dieser Fauna veranlassung gibt. *Acad. Roumaine Mem. Sect. Stiint.* 7:1-127.
- 1926. Nachträge zur Kenntnis ostasiatischer Pyaliden. *Deuts. Entomol. Zeits. Iris, Dresden* 40:168-179.
- 1928. Die Kleinfalter der Stotzner'schen Ausbeute, nebst Zutraege aus meiner Sammlung (Zweite biogeographische Skizze Zentralasien). *Acad. Roumaine Mem. Sect. Stiint.* 4:361-428.
- 1931. Dritter Beitrag zur Kenntnis der Pyaliden von Kwanhsien und Mokanshan (China). *Bull. Acad. Roumaine* 15:203-212.
- 1932. Dritter Beitrag zur Kleinfalterfauna Chinas nebst kurzer Zusammenfassung der bisherigen biogeographischen Ergebnisse. *Bull. Acad. Roumaine* 15:111-123.
- CARADJA, A. & E. MEYRICK. 1934. Materialien zu einer Microlepidopteren-Fauna Kwangtungs. *Deuts. Ent. Zeits. Iris, Dresden* 47:145-167.
- 1935. Materialien zu einer microlepidopteran-Fauna der chinesischer Provinzen Kiangsu, Chekiang und Hunan. R. Friedlander und Sohn. Berlin. 96 pp.
- CHRÉTIEN, P. 1911. Description de nouveaux genres et de nouvelles espèces de Phycides de Mauritanie. *Bull. Soc. Entomol. France* 1:11-14.
- CHRISTOPH, H. 1877. Sammelerggebnisse aus Nordpersien, Krasnowodsk im Turkmenien und dem Daghestan. *Horae Soc. Entomol. Ross.* 12:197-299.

- 1881. Neue Lepidopteren des Amurgebietes. Bull. Soc. Imp. Nat. Moscou 56: 1-80.
- 1887. Diagnosen neuer Lepidopteren aus Tekke. Stett. Entomol. Zeit. 48:162-167.
- 1893. Lepidopterologisches. Stett. Entomol. Zeit. 54:31-36.
- CLEMENS, B. 1860. Contributions to American lepidopterology. No. 3. Proc. Acad. Nat. Sci. Philadelphia: 4-15.
- DE JOANNIS, J. 1927. Pyralidae d'Afrique australe. Bull. Soc. Lépid. Genève 5:41-256.
- 1929. Lèpidoptères hétérocères du Tonkin. Ann. Soc. Entomol. France 49:559-834.
- DOGNIN, P. 1908. Hétérocères nouveaux de l'Amerique du Sud. Ann. Soc. Entomol. Belgique 52:17-33.
- DRUCE, H. 1902. Descriptions of some new species of Lepidoptera. Ann. Mag. Nat. Hist. (7)19:3321-3334.
- DUMONT, C. 1928. Notes sur les Lèpidoptères de Barbarie. Ency. Entomol. Paris, Ser. B. III. Lepidoptera 3:17-37.
- DYAR, H. G. 1893. Description of a peculiar new liparid genus from Maine. 25:213-215.
- 1900. Notes on the genus *Dyaria*, Neum. Can. Entomol. 32(9):284.
- 1910. New species of Lepidoptera from British Guiana. Zoologica 1:125-138.
- FELDER, C. R. & A. F. ROGENHOFER. 1875. Reise der Österreichischen Fregatte Novara um die Erde. Lepidoptera Zoologischen Theil, ii. pt. 2. Plates cxxi-cxxl.
- FLETCHER, D. S. & I. W. B. NYE. 1984. The generic names of the moths of the world. Volume 5. Trustees British Museum (Natural History), London. 185 pp.
- GAEDE, M. 1917. Neue Lepidopteren des Berliner zoologischen Museums. Mitt. Zool. Mus. Berlin 8:387-423.
- GHESEQUIÈRE, J. 1942. Catalogues raisonnés de la faune entomologique du Congo Belge. Ann. Mus. Congo Belge 7:121-240.
- GROTE, A. R. 1876. New Pyralides. Can. Entomol. 8(6):156-158.
- GUENÉE, M. A. 1854. Histoire Naturelle des Insectes. Deltoïdes et Pyralites. Tome 18. Libraire Ency. Roret, Paris. 448 pp.
- HAMPSON, G. F. 1891. Illustrations of typical specimens of Lepidoptera Heterocera in the collection of the British Museum. Part VIII. The Lepidoptera Heterocera of the Nilgiri District. Trustees of the BM, London. 144 pp.
- 1893. Illustrations of typical specimens of Lepidoptera Heterocera in the collection of the British Museum. Part IX. The Macrolepidoptera of Ceylon. Trustees of the BM, London. 182 pp.
- 1896a. The fauna of British India, including Ceylon and Burma. Vol. IV. Taylor & Francis, London. 594 pp.
- 1896b. On the classification of three subfamilies of moths of the family Pyralidae: The Epipaschiinae, Endotrichinae, and Pyralinae. Trans. Entomol. Soc. London (Part IV):451-550.
- 1899. The moths of India. J. Bombay Nat. Hist. Soc. 12:475-485.
- 1900. New Palearctic Pyralidae. Trans. Entomol. Soc. London. (Part II):369-401.
- 1903. The moths of India. J. Bombay Nat. Hist. Soc. 15:19-38.
- 1906. On new Thyrididae and Pyralidae. Ann. Mag. Nat. Hist. (7)17:112-147, 189-222.
- 1912. The moths of India. J. Bombay Nat. Hist. Soc. 21:1222-1272.
- 1916a. Descriptions of new Pyralidae of the subfamilies Epipaschiinae, Chrysauginae, Endotrichinae, and Pyralinae. Ann. Mag. Nat. Hist. (8)18:126-160.
- 1916b. In Poulton, E. B. (ed.), On a collection of moths made in Somaliland by Mr. W. Feather. Proc. Zool. Soc. London 1916(1):91-182.
- 1917. Descriptions of new Pyralidae of the subfamilies Hydrocampinae, Scopariinae, etc. Ann. Mag. Nat. Hist. (8)19:361-376.
- HERING, E. M. 1901. Uebersicht der Sumatra-Pyralidae. Stett. Entomol. Zeit. 62:13-118.

- HODGES, RONALD W., ET AL. (ed.). 1983. Check list of the Lepidoptera of America North of Mexico. E. W. Classey Limited and The Wedge Entomological Research Foundation, London. 284 pp.
- HOWARD, F. W. & M. A. SOLIS. 1989. The distribution, life history, and host plant relationships of the mahogany webworm, *Macalla thyrsisalis* Walker. Fla. Entomol. 72:469-479.
- INOUE, H. 1982. Moths of Japan. Vol. I. Kodansha Co., Ltd., Tokyo, Japan. 966 pp.
- 1988. A new species of the Epipaschiinae from Japan, with some synonymic notes on the Pyralidae from East Asia (Lepidoptera). Tinea 12:85-95.
- INOUE, H. & H. YAMANAKA. 1975. A revision of the Japanese species formerly assigned to the genus *Macalla* Walker (Lepidoptera: Pyralidae). Bull. Fac. Dom. Sci. Otsu Women's Univ. 11:95-112.
- JANSE, A. J. T. 1922. Some apparently new South African genera and species of the family Pyralidae. Trans. Entomol. Soc. London (Parts I and II):1-33.
- 1931. A contribution towards the study of the genera of the Epipaschiinae (Family Pyralidae). Trans. Entomol. Soc. London 79:439-492.
- JONES, E. D. 1912. Descriptions of new species Lepidoptera-Heterocera from South-East Brazil. Trans. Entomol. Soc. London (Part II):419-444.
- KENRICK, G. H. 1907. A list of moths of the family Pyralidae collected by A. E. Pratt in British New Guinea in 1902-03, with descriptions of new species. Proc. Zool. Soc. London 1907(1):68-87.
- 1912. A list of moths of the family Pyralidae collected by Felix B. Pratt and Charles B. Pratt in Dutch New Guinea in 1909-1910; with descriptions of new species. Proc. Zool. Soc. London 1912(3):546-555.
- 1917. New or little-known Heterocera from Madagascar. Trans. Entomol. Soc. London (Part I):85-101.
- LEDERER, J. 1863. Beitrag zur Kenntnis der Pyralidinen. Wien. Entomol. Monat. 7:241-504.
- LOWER, O. 1896. New Australian Lepidoptera. Trans. Roy. Soc. So. Australia. 20:152-170.
- 1902. Descriptions of New Australian Lepidoptera. Proc. Linn. Soc. N. S. Wales 26:639-671.
- 1903. Descriptions of New Australian Noctuid, etc. Trans. Roy. Soc. So. Australia 27:27-74.
- LUCAS, T. P. 1894. Descriptions of new Australian Lepidoptera, with additional localities for known species. Proc. Linn. Soc. N. S. Wales VIII:133-166.
- 1898. Descriptions of Queensland Lepidoptera. Proc. Soc. Queensland 13:59-86.
- MABILLE, P. 1907. Description d'un Lépidoptère nouveau de Tunisie. Bull. Soc. Entomol. France 18:308.
- MANN, J. J. 1873. Captures in Tuscany, from April to July 1872, Italy (774 species). Verh. z.-b. Wien 23:117-129.
- MARION, H. 1955. Pyrales nouvelles de Madagascar. Bull. Soc. Entomol. France 60: 114-119.
- MARUMO, N. 1920. A revision of the Japanese Pyralidae. Part I. (Subfamily Epipaschiinae). J. Coll. Agric. Tokyo 6:265-272.
- MEYRICK, E. 1884a. On the classification of Australian Pyralidina. Trans. Entomol. Soc. London 1884(Part I):61-80.
- 1884b. On the classification of Australian Pyralidina. Trans. Entomol. Soc. London 1884(Part III):277-350.
- 1885. On the classification of Australian Pyralidina. Trans. Entomol. Soc. London 1885(Part IV):421-456.
- 1887. On Pyralidina from Australia and the South Pacific. Trans. Entomol. Soc. London 1887(Part III):185-268.
- 1889. On some Lepidoptera from New Guinea. Trans. Entomol. Soc. London 1889(Part IV):455-522.

- 1890. On the classification of the Pyralidina of the European fauna. Trans. Entomol. Soc. London 1890(Part III):429-492.
- 1894. On Pyralidina from the Malay Archipelago. Trans. Entomol. Soc. London 1894(Part III):455-480.
- 1932. Exotic microlepidoptera. 4:289-352.
- 1933. Exotic microlepidoptera. 4:417-448.
- 1934. Exotic microlepidoptera. 4:513-544.
- 1936. Exotic microlepidoptera. 5:1-32.
- 1938. New Javanese Lepidoptera. Duets. Ent. Zeits. Iris, Dresden 52:73-88.
- MISRA, C. S. 1932. The green peach-aphis (*Myzus persicae* Snlz.) and a new pyralid mango defoliator *Orthaga mangiferae* n. sp. Ind. J. Agric. Sci., Calcutta 2:536-541.
- MOORE, F. 1867. On the lepidopterous insects of Bengal. Proc. Zool. Soc. London 1867(Part I):44-98.
- 1888. Descriptions of Indian Lepidoptera Heterocera from the collection of the late Mr. W. S. Atkinson. Taylor and Francis, London. pp. 199-204.
- NEUMOEGEN, B. 1893. Description of a peculiar new liparid genus from Maine. Can. Entomol. 25(9):211-215.
- PAGENSTECHE, A. 1900. Die Lepidopteren Fauna des Bismarck-Archipels. Mit Berücksichtigung der thiergeographischen und biologischen Verhältnisse systematisch dargestellt. Erster Theil die Tagfalter. Zoologica. Heft XXVII. 1899. 160 pp. 2 plates. Nachträge. Op.cit. 29:261-268.
- 1907. Lepidoptera-Heterocera von Madagaskar, den Comoren und Ostafrika, 6:93-146. In Voeltzkow, A. (ed.), Reise in Ostafrika in den Jahren 1903-1905. Wissenschaftliche Ergebnisse. Band II. Systematische Arbeiten.
- RAGONOT, E. L. 1891. Essai sur les Pyralites. Ann. Soc. Entomol. France 60:15-113.
- REBEL, H. 1902. Neue Pyraliden, Pterophoriden und Tineen des palaearktischen Faunengebietes. Deuts. Ent. Zeits. Iris, Dresden 1902:100-126.
- ROEPKE, N. 1932. Résultats scientifiques du voyage aux Indes Orientales Néerlandaises. Heterocera. Mem. Mus. Roy. d'Hist. Nat. Belg. IV(6):1-99.
- ROTHSCHILD, W. 1915. Macrolepidoptera. Lepidoptera collected by the British Ornithologists' Union and Wollaston Expeditions in the Snow Mountains, Southern Dutch New Guinea. Hazell, Watson & Viney, Ltd., London. 182 pp.
- 1921. Captain Angus Buchanan's Air Expedition. V. On the Lepidoptera collected by Capt. A. Buchanan in northern Nigeria and the southern Sahara in 1919-1920. Novit. Zoo. Tring. 28:142-170, 215-229.
- SCHAUS, W. 1912. New species of Heterocera from Costa Rica. Ann. Mag. Nat. Hist. (8)9:656-671.
- 1922. Notes on the neotropical Epipaschiinae with descriptions of new genera and species. Proc. Entomol. Soc. Washington 24:208-242.
- 1925. New species of Epipaschiinae in the Carnegie and U.S. National Museums. Ann. Carn. Mus. 16:9-48.
- 1934. Heterocera from Tropical America. Ann. Mag. Nat. Hist. (10)14:79-115.
- SHAFFER, M., E. S. NIELSEN & M. HORAK. 1992. Pyralidae. In Nielsen, E. S., E. D. Edwards & T. V. Ransi (eds.), Checklist of the Lepidoptera of Australia. Monographs on Australian Lepidoptera, CSIRO Publications, East Melbourne. In press.
- SHIBUYA, J. 1927a. A study on the Japanese Epipaschiinae. Trans. Nat. Hist. Soc. Formosa 17:339-359.
- 1927b. Some new and unrecorded species of Pyralidae from Corea (Lepid.). Ins. Matsum. Sapporo 2:87-102.
- 1928. The systematic study on the Formosan Pyralidae. J. Fac. Agric. Hokkaido 22:1-300.
- SNELLEN, P. C. T. 1890. A catalogue of the Pyralidina of Sikkim collected by Henry J. Elwes and the late Otto Möller. Trans. Entomol. Soc. London (Part IV):557-647.
- SOLIS, M. A. 1989. A phylogenetic analysis and reclassification of the *Pococera*-complex genera (Lepidoptera: Pyralidae: Epipaschiinae) and a preliminary cladistic analysis of the Pyralidae. Ph.D. Thesis, University of Maryland, College Park, Maryland. 428 pp.



- In press. A phylogenetic analysis and reclassification of the genera of the *Pococera* complex (Lepidoptera: Pyralidae: Epipaschiinae. J. New York Entomol. Soc.
- SOUTH, R. 1901. Lepidoptera Heterocera from China, Japan, and Corea by the late John Henry Leech, B.Z., F.L.S., etc. Part V: With descriptions of new species by Richard South, F.E.S. Trans. Entomol. Soc. London. (Part IV):385-514.
- STAUDINGER, O. 1892. Untitled. Deuts. Ent. Zeits. Iris, Dresden 5:466 and Plate 3, Figure 22.
- 1893. Beschreibungen neuer palaearktischer Pyraliden. Deuts. Ent. Zeits. Iris, Dresden 6:71-82.
- STRAND, E. 1919. Sauter's Formosa-Ausbeute: Pyralididae, Subfam. Sterictinae, Endotrichinae, Pyralidinae und Hydrocampinae (Lep.). Entomol. Mitt. 8:49-135.
- SWINHOE, C. 1884. On Lepidoptera collected at Kurrachee. Proc. Zool. Soc. London 1884:503-529.
- 1895. New species of Indian Epiplemidæ, Geometridæ, Thyrididæ and Pyralidæ. Ann. Mag. Nat. Hist. (6)16:293-304.
- 1902. Descriptions of new Eastern and Australian moths. Ann. Mag. Nat. Hist. (7)9:165-182.
- TAMS, W. H. T. 1935. Heterocera (exclusive of the Geometridæ and the Microlepidoptera). Insects of Samoa. London, British Museum (Natural History). 3:169-290.
- TURNER, A. J. 1902. New Australian Lepidoptera. Trans. Roy. Soc. So. Australia 26: 175-207.
- 1904. A preliminary revision of the Australian Thyrididæ and Pyralidæ. Proc. Roy. Soc. Queensland 18:109-199.
- 1905. A Preliminary revision of the Australian Thyrididæ and Pyralidæ. Proc. Roy. Soc. Queensland 19:39-64.
- 1913. Studies in Australian Lepidoptera. Proc. Roy. Soc. Queensland 24:111-143.
- 1915. Studies in Australian Lepidoptera. Proc. Roy. Soc. Queensland 27:32-37.
- 1925a. New Australian Lepidoptera. Trans. & Proc. Roy. Soc. So. Australia 49: 37-60.
- 1925b. New and little-known Tasmanian Lepidoptera. Pprs. & Proc. Roy. Soc. Tasmania (Hobart, 1926):81-117.
- 1932. New Australian Lepidoptera. Trans. Roy. Soc. So. Australia 56:175-196.
- 1933. New Australian Lepidoptera. Trans. Roy. Soc. So. Australia 57:159-182.
- 1937. New Australian Pyraloidea (Lepidoptera). Proc. Roy. Soc. Queensland 48:61-88.
- VIETTE, P. 1953. Nouvelles Pyrales de Madagascar. Rev. Français d'Entomol. 20:130-137.
- 1960a. Pyrales nouvelles ou peu connues de Madagascar et des Comores. Ann. Soc. Entomol. France 129:151-177.
- 1960b. Pyralides de Madagascar et de Comores nouvelles ou peu connues. Rev. Français d'Entomol. 27:200-214.
- 1965. Nouvelles espèces de Pyrales de Madagascar (Lepidoptera). Entomops. 31:215-220.
- 1967. Deux nouveaux Lépidoptères de l'ouest de Madagascar (Lymantriidæ et Pyralidæ). Bull. Mens. Soc. Linn. Lyon 36:56-57.
- 1981. Nouvelles pyrales de Madagascar. Nouv. Rev. Entomol. 11:315-319.
- WALKER, F. 1862. Characters of undescribed Lepidoptera in the collection of W. W. Saunders, Esq. Trans. Entomol. Soc. London 3:70-279.
- 1858-1866. List of specimens of lepidopterous insects in the collection of the British Museum. Parts 16 to 35. Edward Newman, London.
- 1869. Characters of undescribed Lepidoptera. E. W. Janson, London. 112 pp.
- WALSINGHAM, T. 1888. Description of a new genus and species of Pyralidæ, received from the Rev. J. H. Hocking, from the Kangra Valley, Punjab, India. Trans. Linn. Soc. 5:47-52.
- WARREN, W. 1890. Descriptions of some new genera of Pyralidæ. Ann. Mag. Nat. Hist. (6)6:474-479.

- 1891. Descriptions of new genera and species of Pyralidae contained in the British-Museum Collection. *Ann. Mag. Nat. Hist.* (6)8:423-438.
- 1895. New genera and species of Pyralidae, Thyrididae, and Epiplemidae. *Ann. Mag. Nat. Hist.* (6)16:460-477.
- 1896. New species of Pyralidae from the Khasia Hills. *Ann. Mag. Nat. Hist.* 17(6):452-466.
- 1911. Descriptions of new Geometridae and Pyralididae from South Africa. *Ann. So. African Mus.* 10:19-29.
- WEST, R. J. 1931. Descriptions of new species of Japanese, Formosan and Philippine Pyralidae. *Novit. Zool.* 36:206-219.
- WILEMAN, A. E. 1911. New and unrecorded species of Lepidoptera Heterocera from Japan. *Trans. Entomol. Soc. London* (Part II):189-406.
- WILEMAN, A. E & R. SOUTH. 1917a. Five new species of Pyralidae, belonging to the sub-family Epipaschianae, from Formosa. *Entomol.* 50:127-129.
- 1917b. New species of Pyralidae from Formosa. *Entomol.* 50:175-178.

*Received for publication 14 March 1992; revised and accepted 5 September 1992.*